

# Enware-Delabie Tonic Jet Vandal Resistant Shower Head

## TFC712000

Vandal-proof fixed shower head features a scale-proof nozzle and is designed to operate with intensive use in all public places.

### KEY FEATURES

- Heavy duty chrome plated body
- Vandal resistant design
- Angle of spray can be set by installer
- WELS 4 Star 6.5lpm pressure compensating flow control



### PRODUCT CODES


TFC712000	Tonic Jet Vandal Resistant Shower Head
-----------	--

Version 2.0\_\_01Jul22

# Enware-Delabie Tonic Jet Vandal Resistant Shower Head

## TECHNICAL INFORMATION

Inlet Connection	1/2" BSP female
Operating Working Pressure	50 - 500 kPa
Recommended Working Pressure	350 kPa
Flow Rate	6.5 L/min



Enware products are to be installed in accordance with the Plumbing Code of Australia and AS/NZS3500. Reference should also be made to the Australasian Health facility Guidelines (AHFG), ABCB and Local Government regulations when considering the choice of, and the installation of these products.

Enware Australia advises:


1. Due to ongoing Research and Development, specifications may change without notice. 2. Component specifications may change on some export models. 3. Refer to warranty statement for warranty details - [www.enware.com.au/warranty](http://www.enware.com.au/warranty)

Version 2.0\_\_01Jul22

# Enware-Delabie Tonic Jet Vandal Resistant Shower Head

## SPARE PARTS

---



Version 2.0\_\_01Jul22